

Implementation of a Treatment Plan Marybel Monreal, RN, BSN Heartland National TB Center

Introduction to TB Nurse Case Management Online
January 2022

Marybel Monreal, RN, BSN has the following disclosures to make:



- No conflict of interests
- No relevant financial relationships with any commercial companies pertaining to this educational activity

Overview

Objective:

Describe the implementation of a treatment plan

Components:

- Reviewing the treatment plan
- Treatment delivery
- Patient Education



Reviewing the Treatment Plan

- The Nurse Case Manager ensures the development of a patient-centered treatment plan that is reviewed by the Nurse, Patient, and Healthcare worker
- Encourage patient involvement in their own treatment
- The final treatment plan should be discussed an validated with all team members and the patient



Treatment Delivery

- Anti-tuberculosis treatment delivery is carried out through directly observed therapy (DOT)
- DOT is widely used as the standard of practice





Directly Observed Therapy (DOT)

- The practice of having a health care worker or other trained individual observe the patient swallow each dose of the prescribed TB medications
- Most effective strategy for ensuring patient adherence to treatment (CDC, 2017a)
- Allows for the counting of the exact number of medication doses taken and ensures the required number of doses are completed within the recommended time
- Allows for the early recognition of adverse drug events by performing toxicity and symptoms screenings





• Clinic



- Patient's home
- Place of employment
- School



• Electronic DOT, (eDOT)

Any place that is mutually agreeable and safe







Self-Administered Therapy

- Not recommended for patients with TB disease
- When is it used:
 - Weekends
 - Holidays
 - Traveling

Doses should <u>NOT</u> be counted toward the required number of doses needed for treatment completion

Continued Monitoring

- Ensure proper documentation of toxicities through the use of screening forms
- Ask the patient how are they doing at every visit *
- Pill counts (have patient bring medication bottles back during monthly visits)
- Clinical outcomes (weight gain, decrease s/s, bacteriology, CXR, serum drug levels

Texas Department of State Health Services Tuberculosis Directly Observed Therapy Log

Date Ordered:										et Nu	mberi	Espira		ate:		te Dis	continu	red:	
															\top				
															$\overline{}$			_	
															+			_	
															+			_	
1000 1000 1000			ha i				- 101	- 11 (1	2377 7 1	0.000		0.00			_	1100		_	
Toxicity Scre	wn: + - 1	(c) -	- Ne	(1	o pe	cemple	ted for	r each	client	DOT	BCORE	ter be	fore p	atlent	takes e	medica	tios)		
MONTH/YEAR:				2	3	4	.5	- 6	Ť	- 18	.9	19	11	12	1.3	14	15	- 10	
**Abdominal pain, hearthurn					П	\top	Т	Т	Т						Т			г	
** Bruises, red/pu	rple spots on ti	kin		$\overline{}$	$\overline{}$	\top	$\overline{}$	$\overline{}$	-	$\overline{}$	-	$\overline{}$	$\overline{}$	$\overline{}$	$\overline{}$	$\overline{}$	$\overline{}$	\Box	
**Convelsions			-	-	_	-	_	-	-	-	-	-	-	-	-	-	-	-	
** Dark urine (cot	(fee-palored)		-	-	┼	-	+	-	-	-	_	-	-	-	-	┿	-	┼	
** Dizzy, lighthea			-	-	+	-	+	-	-	-	-	-	-	-	-	-	-	-	
Ears ringing/falls		KMSM	-	-	+	-	-	-	-	-	-	-	-	-	-	-	-	┰	
**Fever or chila		perspects	-	-	⊢	-	-	-	-	-	-	-	-	-	-	-	-	₩	
Fla-like symptom			-	-	╌	+	-	-	-	-	-	-	-	-	-	-	-	₩	
		_	-	⊢	⊢	+	₩	₩	-	⊢	⊢	⊢	⊢	⊢	⊢	⊢	-	₩	
Meadaches (chronic) **Jaundice (yellow skin/eyes)				₩	⊢	-	₩	₩	₩	⊢	⊢	⊢	⊢	-	-	₩	-	┺	
			_	₩	⊢	+	-	₩	-	-	-	⊢	-	⊢	⊢	⊢	-	⊢	
Joint pain (chrom			_	┷	ـــ	-	₩	₩	┷	₩	₩	-	⊢	⊢	₩	⊢	-	ـــ	
**Light colored s			_	┺	_	\perp	-	⊢	┺	_	┺	\vdash	\vdash		\vdash	\vdash	_	┺	
**Loss of appetit				⊢	_	\vdash	_	\vdash	┺	_	_	\vdash	\vdash	\vdash	_	\vdash	\vdash	_	
**MalaisoTatigae																		\perp	
**Nausca/vomsing																			
"Numbrousing	ing																		
**Skin mahewitching																			
"Sores on lips or	cizade mouth			Т	Т	\top	т	т	т	Т	Т	П	$\overline{}$	\Box	П	Т		Г	
**Unawasi bloods	ng (nost, game	s, 2500L		${}^{-}$	Т	\top	${}^{-}$	${}^{-}$	т	т	${}^{-}$	т	$\overline{}$	т	т	${}^{-}$	$\overline{}$	г	
urine, etc. or easy		RPT		_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	
**Visual pooblem	se-EMB, RBT																		
Weakness, tredes	CHI																		
Provider Initials				П	П	\top	Т	Т	Т	Т	П	\Box		\Box	П	П		П	
Interpreter Initials				$\overline{}$	Т	\top	${}^{-}$	$\overline{}$	${}^{-}$	$\overline{}$	$\overline{}$	$\overline{}$	$\overline{}$	$\overline{}$	$\overline{}$	$\overline{}$	$\overline{}$	г	
			_	_	•		Do not	eine f	orn	(on the	Nore	(Ph.s.)	telan i	for for	therly	atract	tiana	
Date	DOT	Sex	\neg	Dos						Client		T	E-4 10.74					*****	
	Adm	Adm		Missed		DOT Provider's Initials			Inidals				Comments/Notes						
.01/			\top									T							
/02/																		_	
/93																			
./04/]											
/05/			\perp																
.01/																			
1971			_									_							
/01/			_									1							
1035			_																
/14/	_	_	\rightarrow									-							
/11/	_	-	+			_			-			+						_	
/13/	+	+	+		_	_		_	-			+						_	
	+	+	+		_	_			-			+							
/14/	1	1																	



Patient Education

- Acknowledge and address the patient's perceptions and concerns about their TB diagnosis and treatment
- Ensure patient communicates regularly about any changes with TB treatment or other comorbidities they are concurrently being treated for
- Review the treatment plan regularly and make adjustments as needed

Summary

- Implementation includes reviewing the treatment plan with the nurse, patient, and healthcare worker
- Treatment delivery is achieved through DOT in a mutually agreeable and safe place and more recently also through electronic DOT through video graphic devices. DOT is the most effective form of TB treatment. Self Administered therapy is not recommended
- Patient education should be performed throughout the course of treatment