Identifying Barriers to Treatment Completion

Information from CDC and Heartland Presented by:

Anna Salas BSN RN
Presentation prepared by Stepheni Appleby, RN, TBCM

Arkansas Department of Health

Central Region TB Case Manager



• The presenter *Anna Salas BSN RN*, does not have any conflicts of interest to list.

Potential Barriers

Barrier: a circumstance or obstacle that keeps people or things apart or prevents communication or progress

- Cultural
- Socioeconomic
- Substance Abuse
- Mental Health
- Homelessness
- Educational
- Health Disparities

<u>Cultural</u>

- Western Medicine frowned upon or feared in certain cultures
- Some cultural beliefs dictate that illness is deserved
- Stigma: The stigma attached to tuberculosis is far-reaching and crosses cultural borders
 - See Heartland's #StopTheStigma campaign.
- Some populations view treatment of LTBI as unnecessary or unimportant
- LANGUAGE

Socioeconomic Barriers

- Time=Money: EVERYONE'S Time is valuable
- **Employment**: time off for treatment
- Transportation: people without a vehicle or available public transit may not be able to commit fully to treatment
- Location: rural/poverty-stricken/long-distance from Unit

Substance Abuse

- <u>Competing priority</u>: results in increased missed doses, increased risk for development of resistance
- Fear of increased judgement
- Increased prevalence of Adverse Medication Effects: hepatotoxicity prevalence is increased in persons with regular abuse of alcohol and/or other illicit substances
- Fear of Legal repercussions: may be in and out of correctional facilities, may fear "getting caught" by coming into a state/government building

Mental Health

- People with various degrees of mental health issues are greatly underserved in the United States
- Diagnoses such as schizophrenia may alter the patient's perception of your intentions
- Resources may not be available for people living with mental illness
 - May not have money for medications to treat mental illness
 - May not have health insurance to be able to afford to seek treatment for diagnosis
 - Patient may not wish to treat mental health diagnosis and that is OKAY

Homelessness

- No address: DOT can be very difficult
 - <u>communication</u> and <u>consistency</u> are key to success
- <u>Limited Transportation:</u> public transport, no car, no money for bus or gas
- Can be at increased risk for developing TB disease from weakened immune system: unmanaged comorbidities (HIV, Diabetes), exposure to stressors, and in some, substance abuse
- Need for treatment overshadowed by the stress of trying to survive

Educational

- Reading level
- Educational level
- Know your audience: what do they need to hear to understand your counseling?
- Provide a wide range of educational material, translation services, and illustrative information
- Some people have been taught about TB in a different way and are resistant to new conflicting information

Health Disparities

Disparities are evident in regard to tuberculosis

- In 2015, TB was reported in 1,995 black, non-Hispanic persons, nearly 21% of all persons reported with TB nationally. Also in 2015, the rate of TB in black, non-Hispanic persons was 5.0 cases per 100,000 population, which is over 8 times higher than the rate of TB in white, non-Hispanic persons (0.6 cases per 100,000 population).
- Statistics overwhelmingly indicate health disparities in people of color nationwide.
- We have to do our part to recognize these disparities and remedy them.

Communication is Key

- As a TB controller it is now your responsibility to ensure that persons living with TB infection and disease understand their diagnosis.
- Provide open, non-judgmental, lines of communication with patients
 - You are not there to alter their lifestyle but to figure out how to help them within that lifestyle.
- Be consistent.
 - Show up when you say you will
 - Provide services you say you'll provide

Incentives

- Incentives: motivate patients
- Makes treatment worthwhile to the patient
 - Tailored to individual's needs
 - Meaningful to patient
 - Immediate gratification
- Examples:
 - Cash for DOT
 - Clothing
 - Food

Enablers

- Interventions to assist the patient in completing therapy
- Slightly different than incentives: Enables people to seek treatment while still maintaining their lifestyle
- Examples:
 - Bus passes
 - Utility bill/rent payment
 - Childcare
 - Healthcare referrals

Closing

"Love them where they are"

- You cannot force a patient to be in a place YOU think they should be in regard to Tuberculosis and perception of treatment. <u>Meet them</u> <u>where they are.</u>
- Your work is important and directly impacts the lives of others. It is appreciated and well worth the effort.

Questions, Problems, Tales of Woe?

• TX BBQ or Kansas City BBQ?

- Contact information:
 - Anna.salas@sanantonio.gov

